

https://data.fulir.irb.hr/hr/islandora/search?display=default&f%5B0%5D=%2DRELS_EXT_hasModel_uri_s%3A%22info%3Afedora/islandora%3AcollectionCModel%22&f%5B1%5D=mods_date_year_s%3A%5B2014%20TO%202021%5D&f%5B2%5D=mods_Author_ms%3A%22Brajkovi%C4%87%2C%20Marko%22&f%5B3%5D=mods_keywords_ms%3A%22MeV%20TOF%20SIMS%22&f%5B4%5D=mods_Author_ms%3A%22Barac%2C%20Marko%22&sort=dabar_sort_title_s_hr%20asc&islandora_solr_search_navigation=0

Vrijeme izvoza: 14.08.2022. 08:59:54

Repozitorij: data.fulir.irb.hr

Ukupan broj zapisa na URL-u: 2

Broj izvezenih zapisa: 2

| Naslov | URL | Autori | Naslov izvornika |
|---|---|--|-------------------------|
| Dependence of MeV TOF SIMS secondary molecular ion yield from phthalocyanine blue on primary ion stopping power | https://urn.nsk.hr/urn:nbn:hr:241:471554 | Brajković, Marko; Siketić, Zdravko; Bogdanović-Radović, Ivančica; Barac, Marko | |
| MeV TOF SIMS determination of deposition order between optically distinguishable and indistinguishable inks | https://urn.nsk.hr/urn:nbn:hr:241:440276 | Barac, Marko; Bogdanović-Radović, Ivančica; Brajković, Marko; Siketić, Zdravko | |