https://data.fulir.irb.hr/hr/islandora/search?display=default&f%5B0%5D=%2DRELS_EXT_hasModel_uri_s%3A%22info%3Afedora/islandora%3AcollectionCModel%22&f%5B1%5D=mods_date_year_s%3A%5B2014%20TO%202021%5D&f%5B2%5D=mods_Author_ms%3A%22Brajkovi%C4%87%2C%20Marko%22&f%5B3%5D=mods_keywords_ms%3A%22MeV%20TOF%20SIMS%22&f%5B4%5D=mods_genre_hrv_ms%3A%22eksperiment%22&f%5B5%5D=facet_field_pth%3APRIRODNE%5C%20ZNANOSTI%2A&sort=dabar_sort_title_s_hr%20asc&islandora_solr_search_navigation=0

Vrijeme izvoza: 29.03.2024. 15:56:08
Repozitorij: data.fulir.irb.hr
Ukupan broj zapisa na URL-u: 2
Broj izvezenih zapisa: 2

Naslov	**URL**	**Autori**	**Naslov izvornika**
Dependence of MeV TOF SIMS secondary molecular ion yield from phthalocyanine blue on primary ion stopping power	https://urn.nsk.hr/urn:nbn:hr:241:471554	Brajković, Marko; Siketić, Zdravko; Bogdanović-Radović, Ivančica; Barac, Marko	
MeV TOF SIMS determination of deposition order between optically distinguishable and indistinguishable inks	https://urn.nsk.hr/urn:nbn:hr:241:440276	Barac, Marko; Bogdanović-Radović, Ivančica; Brajković, Marko; Siketić, Zdravko	