

[https://data.fulir.irb.hr/hr/islandora/search?display=default&f%5B0%5D=%2DRELS\\_EXT\\_hasModel\\_uri\\_s%3A%22info%3Afedora/islandora%3AcollectionCModel%22&f%5B2%5D=mods\\_date\\_year\\_s%3A%5B2021%20TO%202021%5D&f%5B3%5D=facet\\_field\\_pt%3APRIRODNE%5C%20ZNANOSTI%23Biologija%2A&sort=dabar\\_sort\\_date\\_s%20desc&islandora\\_solr\\_search\\_navigation=0](https://data.fulir.irb.hr/hr/islandora/search?display=default&f%5B0%5D=%2DRELS_EXT_hasModel_uri_s%3A%22info%3Afedora/islandora%3AcollectionCModel%22&f%5B2%5D=mods_date_year_s%3A%5B2021%20TO%202021%5D&f%5B3%5D=facet_field_pt%3APRIRODNE%5C%20ZNANOSTI%23Biologija%2A&sort=dabar_sort_date_s%20desc&islandora_solr_search_navigation=0)

Vrijeme izvoza: 08.08.2022. 18:13:40

Repozitorij: data.fulir.irb.hr

Ukupan broj zapisa na URL-u: 1

Broj izvezenih zapisa: 1

<b>Naslov</b>	<b>URL</b>	<b>Autori</b>	<b>Naslov izvornika</b>
Spatially resolved metabolic composition in seeds of common bean: comparison of the low phytic acid mutant and the wild type	<a href="https://urn.nsk.hr/urn:nbn:hr:241:067297">https://urn.nsk.hr/urn:nbn:hr:241:067297</a>	Barac, Marko; Siketić, Zdravko; Bogdanović-Radović, Ivančica; Brajković, Marko	