

[https://data.fulir.irb.hr/hr/islandora/search?display=default&f%5B0%5D=%2DRELS\\_EXT\\_hasModel\\_uri\\_s%3A%22info%3Afedora/islandora%3AcollectionCModel%22&f%5B1%5D=mods\\_date\\_year\\_s%3A%5B2014%20TO%202021%5D&f%5B2%5D=mods\\_keywords\\_ms%3A%22LPA%20mutant%22&sort=dabar\\_sort\\_title\\_s\\_hr%20asc&islandora\\_solr\\_search\\_navigation=0](https://data.fulir.irb.hr/hr/islandora/search?display=default&f%5B0%5D=%2DRELS_EXT_hasModel_uri_s%3A%22info%3Afedora/islandora%3AcollectionCModel%22&f%5B1%5D=mods_date_year_s%3A%5B2014%20TO%202021%5D&f%5B2%5D=mods_keywords_ms%3A%22LPA%20mutant%22&sort=dabar_sort_title_s_hr%20asc&islandora_solr_search_navigation=0)

Vrijeme izvoza: 18.08.2022. 00:11:33

Repozitorij: data.fulir.irb.hr

Ukupan broj zapisa na URL-u: 1

Broj izvezenih zapisa: 1

<b>Naslov</b>	<b>URL</b>	<b>Autori</b>	<b>Naslov izvornika</b>
Spatially resolved metabolic composition in seeds of common bean: comparison of the low phytic acid mutant and the wild type	<a href="https://urn.nsk.hr/urn:nbn:hr:241:067297">https://urn.nsk.hr/urn:nbn:hr:241:067297</a>	Barac, Marko; Siketić, Zdravko; Bogdanović-Radović, Ivančica; Brajković, Marko	